L Number	Hits	Search Text	DB	Time stamp
1	2	(null with (conflict adj resolution)) and (@rlad<=20000621 @ad<=20000621)	USPAT;	2004/07/22 15:05
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	1	"20020099728"	USPAT;	2003/05/05 14:25
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	53	multi-valued adj attribute	USPAT;	2004/07/19 10:43
		·	US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	9	(multi-valued adj attribute) and version and timestamp	USPAT;	2004/06/16 08: 24
		,	US-PGPUB;	
			ЕРО; ЛРО;	
	1	multi-valued adj object adj attribute	IBM_TDB USPAT;	2004/07/22 13:09
	•	india valued adj object adj attitotio	US-PGPUB;	2004/01/22 23:0/
			ЕРО; ЛРО;	
	0	multivalued adj object adj attribute	IBM_TDB USPAT;	2003/05/05 11:27
		inditivation and object and attribute	US-PGPUB;	2003/03/03 11:2/
			ЕРО; ЈРО;	
	14	monlication adj conflict	IBM_TDB	2002 (05 (05 11 27
-	14	replication adj conflict	USPAT; US-PGPUB;	2003/05/05 11: 37
			ЕРО; ЛРО;	
		WEGG (C. DA)	IBM_TDB	
-	1	"5926816".PN.	USPAT; US-PGPUB	2003/05/05 11: 32
-	1	"5884325".PN.	USPAT;	2003/05/05 11: 33
			US-PGPUB	
-	1	"5870765".PN.	USPAT; US-PGPUB	2003/05/05 11: 33
-	1	"5806075".PN.	USPAT;	2003/05/05 11: 34
		NAME OF THE PARTY	US-PGPUB	
-	1	"5737601".PN.	USPAT; US-PGPUB	2003/05/05 11: 34
-	52	(directory adj service) and (version adj number) and timestamp	USPAT;	2003/05/05 12:49
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	1	"6266669".PN.	USPAT;	2003/05/05 11:41
		"5001771., DNI	US-PGPUB	2002-05-05-11-41
	1	"5991771".PN.	USPAT; US-PGPUB	2003/05/05 11:41
-	1	"5924096".PN.	USPAT;	2003/05/05 11:42
	,	450707124 DNI	US-PGPUB	2002 (05 (05 11 42
	1	"5870733".PN.	USPAT; US-PGPUB	2003/05/05 11:42
-	1	"5867688".PN.	USPAT;	2003/05/05 11:42
_		"E920001" DN	US-PGPUB	2002/07/05 11 15
-	1	"5829001".PN.	USPAT; US-PGPUB	2003/05/05 11:42
-	1	"5796999".PN.	USPAT;	2003/05/05 11:44
_	,	#5741500# DNI	US-PGPUB	2003/05/05 11 41
-	1	"5761500".PN.	USPAT; US-PGPUB	2003/05/05 11:44
-	1	"5758150".PN.	USPAT;	2003/05/05 11:44
_	1	"5761500".PN.	US-PGPUB USPAT;	2003/05/05 11 45
	1	3702200 ALIA	US-PGPUB	2003/05/05 11:45
-	1	"5758355".PN.	USPAT;	2003/05/05 11:45
-	1	"5664228".PN.	US-PGPUB USPAT;	2003/05/05 11:45
	•		US-PGPUB	2005/05/05 11:45
-	1	"5666530".PN.	USPAT;	2003/05/05 11:45
-	23	deletion adj indicator	US-PGPUB USPAT;	2003/05/05 12:49
			US-PGPUB;	2005/05/05 12:47
			ЕРО; ЛРО;	
-	805	707/203.ccls.	IBM_TDB USPAT;	2003/05/05 14: 25
	303		US-PGPUB;	2005/03/03 17:23
			EPO; JPO;	
		14.05.10 DW Page 1	IBM_TDB	

-	4253	timestamp	USPAT;	2003/05/05 14:25
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	88	707/203.ccls. and timestamp	USPAT;	2003/05/05 14:25
İ			US-PGPUB;	
1			EPO; JPO;	
_	15189	timestamp or (time adj stamp)	IBM_TDB USPAT;	2003/05/05 14:26
	13107	timeswilp of time adj stamp,	US-PGPUB;	2003/03/03 14:20
			ЕРО; ЛРО;	
1			IBM_TDB	
-	185	707/203.ccls. and (timestamp or (time adj stamp))	USPAT; US-PGPUB;	2003/05/05 14:26
			EPO; JPO;	
			IBM_TDB	
-	57	(707/203.ccls. and (timestamp or (time adj stamp))) and @rlad<=20000631	USPAT;	2004/07/19 10:45
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	163	replica adj object	USPĀT;	2003/05/05 16:16
!			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	54	(replica adj object) and version	USPAT;	2003/05/06 09:01
			US-PGPUB;	
			EPO; JPO;	
_	407	replica\$4 adj object	IBM_TDB USPAT;	2003/05/06 09: 02
	101	tophous and object	US-PGPUB;	2003/03/00 07:02
			EPO; JPO;	
		(1	IBM_TDB	
-	31	(replica\$4 adj object) and version and timestamp	USPAT; US-PGPUB;	2003/05/06 09:20
			EPO; JPO;	
			IBM_TDB	
-	1	"5625818".PN.	USPAT; US-PGPUB	2003/05/06 09:10
-	1	"5613079".PN.	USPAT;	2003/05/06 09:10
_	1	"5434994".PN.	US-PGPUB USPAT;	2003/05/06 09:11
_	1	"5386559".PN.	US-PGPUB USPAT;	2003/05/06 09:12
			US-PGPUB	
_	1	"5295222".PN.	USPAT; US-PGPUB	2003/05/06 09:14
-	1	"5016204".PN.	USPAT;	2003/05/06 09:14
i _	14	replication adj conflict	US-PGPUB USPAT;	2003/05/06 09: 32
	**		US-PGPUB;	2003/03/00 07: 32
			ЕРО; ЈРО;	
	ا م	stated edi based edi remlicata	IBM_TDB	2002/05/0/ 00 12
	0	stated adj based adj replica\$4	USPAT; US-PGPUB;	2003/05/06 09: 32
			ЕРО; ЈРО;	
			IBM_TDB	
-	1	state adj based adj replica\$4	USPAT; US-PGPUB;	2003/05/06 09: 33
			EPO; JPO;	
			IBM_TDB	
-	5	(state adj based) with replica\$4	USPAT;	2003/05/06 09:48
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	0	(highest adj version) and (latest adj timestamp)	USPAT;	2003/05/06 09:49
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	2	(higher adj version) and (latest adj timestamp)	USPĀT;	2003/05/06 09:49
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	1	"5649195".PN.	USPAT;	2003/05/06 12:56
			US-PGPUB	
-	1	"5627961".PN.	USPAT;	2003/05/06 12:56
	L		US-PGPUB	

$\overline{}$			T YION A TO	
-	1	"5613113".PN.	USPAT; US-PGPUB	2003/05/06 12:57
-	1	"5600834".PN.	USPAT;	2003/05/06 12:57
		WELLOTTON DAY	US-PGPUB	
-	1	"5440730".PN.	USPAT; US-PGPUB	2003/05/06 13:00
-	1	"5261069".PN.	USPAT;	2003/05/06 13:01
	,	#5220457# DNI	US-PGPUB	2003/05/0/ 13 01
•	1	"5220657".PN.	USPAT; US-PGPUB	2003/05/06 13:01
-	27	"5765171"	USPAT;	2003/05/07 11:44
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	1	"6233623".PN.	USPAT; US-PGPUB	2003/05/07 10:42
-	1	"6098078".PN.	USPAT;	2003/05/07 10:43
	1	"6065017".PN.	US-PGPUB USPAT;	2002/05/07 10 42
	1	//000501///.I IV.	US-PGPUB	2003/05/07 10:43
-	1	"5832487".PN.	USPAT;	2003/05/07 10:44
<u>.</u>	1	"5787247".PN.	US-PGPUB USPAT;	2003/05/07 10:44
	-		US-PGPUB	2003/03/07 20: 44
-	1	"5596574".PN.	USPAT; US-PGPUB	2003/05/07 10:44
-	15222	(timestamp or (time adj stamp))	USPAT;	2003/05/07 11:47
		• • •	US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	1	(creation adj ((timestamp or (time adj stamp)))) and (version adj number) and	USPĀT;	2003/05/07 11:48
		(update adj ((timestamp or (time adj stamp))))	US-PGPUB;	
ł			EPO; JPO; IBM_TDB	
-	14	conflict adj resolution adj data	USPAT;	2003/05/07 13:21
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	1	09/753998	USPAT;	2003/05/07 13:21
			US-PGPUB; EPO; JPO;	
		1.	IBM_TDB	
-	21669	replica	USPAT; US-PGPUB;	2003/05/07 16:51
			ЕРО, ЈРО,	
_	5254	replica and version	IBM_TDB USPAT;	3003/05/07 14 51
	7274	replica and version	US-PGPUB;	2003/05/07 16: 51
			ЕРО; ЈРО;	
-	20	(replica and version) and (creation adj time)	IBM_TDB USPAT;	2003/05/08 09: 21
		10-p-10-0 min 10-00-0-1, min 10-00-0-1 min 10-00-0-1	US-PGPUB;	2003/03/00 07:12
			EPO; JPO; IBM_TDB	
-	256	active adj directory	USPAT;	2003/05/08 08: 27
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	35	(active adj directory) and replica	USPAT;	2003/05/08 08: 27
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	9 7	(active adj directory) and replica\$5	USPAT;	2003/05/08 08: 27
			US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	83	((active adj directory) and replica\$5) and version	USPAT; US-PGPUB;	2003/05/08 08: 27
			EPO; JPO;	
_	41	(((active adi directory) and replicates and version) and (timestame or (times -1))	IBM_TDB	2002/05/09 09 3/
	41	(((active adj directory) and replica\$5) and version) and (timestamp or (time adj stamp) or time-stamp)	USPAT; US-PGPUB;	2003/05/08 08: 36
		•	EPO; JPO;	
_	1	"5671407".PN.	IBM_TDB USPAT;	2003/05/08 09: 16
	 		US-PGPUB	2003/03/00 07:10

-	1	"5649195".PN.	USPAT; US-PGPUB	2003/05/08 09: 18
-	1	"5613113".PN.	USPAT; US-PGPUB	2003/05/08 09:18
-	1	"5459862".PN.	USPAT; US-PGPUB	2003/05/08 09:18
-	1	"5408563".PN.	USPAT; US-PGPUB	2003/05/08 09: 18
-	3	"5787441"	USPAT; US-PGPUB;	2003/05/08 09: 24
-	1	"6138124"	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/08 09: 36
-	16	field adj level adj replica\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/08 09:46
-	2	field-level adj replica\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/08 09: 46
-	7	row adj level adj replica\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/08 09:48
-	6	column adj level adj replica\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 09:49
-	40	or US-6058401-\$ or US-5737601-\$ or US-5926816-\$ or US-5884325-\$ or US-6516327-\$ or US-6484185-\$ or US-5829001-\$ or US-4853843-\$ or US-6446092-\$ or US-6321236-\$ or US-6098078-\$ or US-5937413-\$ or US-5832487-\$ or US-6466980-\$ or US-6425016-\$ or US-5956718-\$ or US-5832514-\$ or US-5787262-\$ or US-5806074-\$ or US-5692182-\$ or US-5613079-\$).did. or (US-5434994-\$ or	USPAT; US-PGPUB	2003/05/08 14:45
-	1	US-6529917-\$ or US-6058401-\$ or US-5737601-\$ or US-5926816-\$ or US-5884325-\$ or US-6516327-\$ or US-6484185-\$ or US-5829001-\$ or US-4853843-\$ or US-6446092-\$ or US-6321236-\$ or US-6098078-\$ or US-5937413-\$ or US-5832487-\$ or US-6466980-\$ or US-6425016-\$ or US-5956718-\$ or US-5832514-\$ or	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 14: 51
-	1	US-5787262-\$ or US-5806074-\$ or US-5692182-\$ or US-5613079-\$).did. or (US-5434994-\$ or US-5893116-\$ or US-6539381-\$ or US-6343299-\$ or US-6301589-\$ or US-6023708-\$ or US-5968131-\$ or US-5961590-\$ or US-5909689-\$ or US-6138124-\$).did. or (US-20020029227-\$ or US-20020083083-\$ or US-20020129175-\$ or US-20010048728-\$).did.) and (deletion adj indicator) ((US-6453324-\$ or US-6192365-\$ or US-6052681-\$ or US-6532479-\$ or US-6529917-\$ or US-6058401-\$ or US-652581-\$ or US-5529917-\$ or US-6058401-\$ or US-5737601-\$ or US-5926816-\$ or US-5884325-\$ or US-6516327-\$ or US-6484185-\$ or US-5829001-\$ or US-5937413-\$ or US-5832487-\$ or US-6466980-\$ or US-6321236-\$ or US-6098078-\$ or US-5937413-\$ or US-5832487-\$ or US-6466980-\$ or US-6425016-\$ or US-5956718-\$ or US-5832514-\$ or US-5787262-\$ or US-5806074-\$ or US-5692182-\$ or US-5633299-\$ or US-6301589-\$ or US-5434994-\$ or US-5893116-\$ or US-5633381-\$ or US-6343299-\$ or US-6301589-\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 14: 51
-	83	or US-6023708-\$ or US-5968131-\$ or US-5961590-\$ or US-5909689-\$ or US-6138124-\$).did. or (US-20020029227-\$ or US-20020083083-\$ or US-20020129175-\$ or US-20010048728-\$).did.) and (delet\$3 adj indicator) delet\$3 adj indicator	USPAT; US-PGPUB;	2003/05/08 14: 53
-	1	(delet\$3 adj indicator) and (null adj identifier)	EPO; JPO; IBM_TDB USPAT; US-PGPUB;	2003/05/08 14: 52
-	11	delet\$3 adj timestamp	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/08 15: 35

-	1	6212517.pn.	USPAT;	2003/05/08 15: 35
	į.		US-PGPUB;	
	!		EPO; JPO;	
	١.	4400404	IBM_TDB	
-	1	6138124.pn.	USPAT;	2003/11/13 16: 26
			US-PGPUB;	
			ЕРО; ЈРО;	
	Ι.	/ 205 541	IBM_TDB	3003.44.44.65.44
-	1	6,295,541.pn.	USPAT;	2003/11/14 07: 32
			US-PGPUB;	
	İ		EPO; JPO;	
	١.		IBM_TDB	
1-	1	10/291511	USPAT;	2003/11/14 07: 32
			US-PGPUB;	
			EPO; JPO;	
İ	١.	atata adi basad adi santisan	IBM_TDB	3004.05.13.13.13
-	1	state adj based adj replica\$	USPAT;	2004/05/12 12:42
			US-PGPUB;	
			EPO; JPO;	
	1,10	directors adi replicat	IBM_TDB	3004/05/13 13 43
-	119	directory adj replica\$	USPAT;	2004/05/12 12:42
			US-PGPUB;	
			EPO; JPO;	
l <u>-</u>	87	(directory adj renticas) and (Orlad = 20000431 Ond = 20000431)	IBM_TDB	2004/05/12 15 20
-	8/	(directory adj replica\$) and (@rlad<=20000631 @ad<=20000631)	USPAT;	2004/05/12 15: 20
			US-PGPUB;	
İ			EPO; JPO;	
l <u>-</u>	219	(active adj directory) and (@rlad<=20000621 @ad<=20000621)	IBM_TDB	2004/05/12 12 50
~	219	(active adj directory) and (wriad<=20000021 (wad<=20000021)	USPAT; US-PGPUB;	2004/05/12 12:50
			EPO; JPO;	
l <u>-</u>	103	((active adj directory) and (@rlad<=20000621 (@ad<=20000621)) and replica\$	IBM_TDB USPAT;	2004/05/12 12 50
	103	(lactive adj directory) and (winder=20000021 (wade=20000021)) and replicas	US-PGPUB;	2004/05/12 12:50
			EPO; JPO;	
ļ			IBM_TDB	
l <u>-</u>	29	(((active adj directory) and (@rlad<=20000621 @ad<=20000621)) and replica\$) and	USPAT;	2004/05/12 12:50
	27	(conflict adj resolution)	US-PGPUB;	2004/05/12 12:50
1		(contrict adj resolution)	EPO; JPO;	
			IBM_TDB	
	87	(directory adj replica\$) and (@rlad<=20000621 @ad<=20000621)	USPAT;	2004/05/12 12 47
	"	directory adj replicas) and flustiad = 20000021 (mad = 20000021)	US-PGPUB;	2004/05/12 13:47
			l —— -	
			EPO; JPO; IBM_TDB	
	30	((attribute adj level) and (value adj level)) and (@rlad<=20000621 @ad<=20000621)	USPAT;	2004/05/12 14:10
		(Mattrodic adj rever) and (value adj rever) and (Wriad = 20000821 (Wad = 20000821)	US-PGPUB;	2004/03/12 14:10
			EPO; JPO;	
			IBM_TDB	
_	131	(linked adj value) and (@rlad<=20000621 @ad<=20000621)	USPAT:	2004/05/12 14:10
	***		US-PGPUB;	2007/03/12 19:10
			EPO; JPO;	
			IBM_TDB	
-	23	((linked adj value) and (@rlad<=20000621 @ad<=20000621)) and attribute	USPAT;	2004/05/12 14: 10
	-		US-PGPUB;	00 17 007 46 27: 10
			EPO; JPO;	
			IBM_TDB	
-	4	6119122.URPN.	USPAT	2004/05/12 14: 30
-	18		USPAT	2004/05/12 14:33
		"5677851" "5680615" "5692180" "5732271" "5742813" "5778377" "5784560"	33	
		"5819282" "5838965" "5864865" "5983234").PN.		
-	34	· · · · · · · · · · · · · · · · · · ·	USPAT	2004/05/12 14: 36
-	201		USPAT:	2004/05/12 15:20
		,,	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	71	((distributed adj directory) and (@rlad<=20000631 (@ad<=20000631)) and object	USPAT;	2004/05/13 09:50
		and attribute and value	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	0	hortviz.in.	USPAT;	2004/05/12 15: 30
	[US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	[
-	0	hoviz.in.	USPAT;	2004/05/12 15: 30
	1		US-PGPUB:	
			ЕРО; ЛРО;	
			IBM_TDB	
	1	LA OF TO DIV. Done F		

	_,			
-	0	horviz.in.	USPAT;	2004/05/12 15: 30
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
_	20	web adj page adj prefetch\$	USPAT;	2004/05/12 15: 31
		woo and page and prototons	US-PGPUB:	2004/03/12 13:31
	ł		ЕРО; ЛРО;	
			IBM_TDB	
-	56	((time adj stamp) timestamp) and (version adj number) and (conflict adj resolution)	USPAT;	2004/05/13 09:49
			US-PGPUB;	
	Ì		EPO; JPO;	
1_	47	((time add stown) time atoms) and (various add supplied and (asset) at add	IBM_TDB	2004.05.42.44
-	4/	(((time adj stamp) timestamp) and (version adj number) and (conflict adj resolution)) and (@rlad<=20000631 @ad<=20000631)	USPAT; US-PGPUB;	2004/05/13 11: 14
			EPO; JPO;	
			IBM_TDB	
-	40	("4714995" "5295256" "5442780" "5454106" "5471613" "5499371" "5615362"	USPAT	2004/05/13 10: 22
		"5664173" "5706506" "5799306" "5806074" "5809502" "5884324" "5937409"		
		"5937414" "5963932" "5995999" "6009422" "6012067" "6016499" "6029178"		
		"6047284" "6052681" "6058401" "6078925" "6085188" "6122258" "6122630"		
		"6131098" "6134559" "6154743" "6163776" "6178416" "6189000" "6199062"		
	7	"6301589" "6338092" "6356913" "6412017" "6453310"), PN.	TIODAT	
1	1	(multi adj value adj attribute) and (@rlad<=20000631 @ad<=20000631)	USPAT; US-PGPUB;	2004/05/13 11:46
			EPO; JPO;	
			IBM_TDB	
-	82	(update adj timestamp) and (@rlad<=20000631 @ad<=20000631)	USPAT;	2004/05/13 11:43
			US-PGPUB;	
			ЕРО, ЈРО,	
			IBM_TDB	
-	4	(deletion adj timestamp) and (@rlad<=20000631 @ad<=20000631)	USPAT;	2004/05/13 11:43
			US-PGPUB;	
			EPO; JPO;	
-	53	(multi adj valued adj attribute) and (@rlad<=20000631 @ad<=20000631)	IBM_TDB USPAT;	2004/06/14 13: 39
1			US-PGPUB;	2004/00/14 13: 37
			EPO; JPO;	
			IBM_TDB	
-	31	(attribute adj level) and (value adj level) and (@rlad<=20000631 @ad<=20000631)	USPAT;	2004/05/13 11: 56
			US-PGPUB;	
			EPO; JPO;	
l <u>-</u>	1	6615223.pn.	IBM_TDB USPAT:	2004/05/12 15 20
	_	6013123.pm.	US-PGPUB;	2004/05/13 15: 29
			EPO; JPO;	
			IBM_TDB	
-	32	semantic adj evaluation	USPĀT;	2004/05/13 15: 39
			US-PGPUB;	
			EPO; JPO;	
l _	1	"20030208473"	IBM_TDB	3004/05/14 10 41
] *		USPAT; US-PGPUB:	2004/05/14 10:41
			EPO: JPO:	
			IBM_TDB	
-	1	"20010034733"	USPĀT;	2004/05/14 13:48
			US-PGPUB;	
			ЕРО; ЛРО;	
_	1	09/832703	IBM_TDB	2004/05/17/07 40
	1	\ \(\tau_{1} \tau_{2} \tau_{1	USPAT; US-PGPUB;	2004/05/17 07:48
			EPO; JPO;	
			IBM_TDB	
-	0	09/565901	USPAT;	2004/05/17 07:48
			US-PGPUB;	
			ЕРО; ЈРО;	
		00.207	IBM_TDB	
-	2	09/206,778	USPAT;	2004/06/11 15:13
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
-	3	09/207,160	USPAT:	2004/06/14 13: 37
1	1	'	US-PGPUB;	
[i !		COTOLOD.	
			EPO; JPO; IBM_TDB	

-	1033	707/203.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/06/14 13: 37
	841	707/203.ccls. and (@rlad<=20000621 @ad<=20000621)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/15 11: 34
-	27 56	5999947.URPN. (multi-value\$ adj attribute) and (@rlad<=20000621 @ad<=20000621)	IBM_TDB USPAT USPAT:	2004/06/15 10: 51 2004/06/15 13: 13
			US-PGPUB; EPO; JPO; IBM_TDB	2004/00/13 13:13
-	119	(update adj indicator) and (@rlad<=20000621 @ad<=20000621)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/15 13: 58
-	25	{"5136707" "5142470" "5404488" "5434994" "5537585" "5602992" "5664228" "5666530" "5684989" "5710922" "5721914" "5727202" "5729735" "5740230" "5758150" "5758355" "5761500" "5796999" "5829001" "5867688" "5870733" "5924096" "5926816" "5991771" "6266669").PN.	USPAT	2004/06/15 13: 21
-	68	("4575793" "4622631" "4774655" "4774661" "4827399" "4878167" "4941845" "5001628" "5008814" "5019963" "5043876" "5113519" "5142680" "5146561" "5151989" "5155847" "5159669" "5170480" "5185857" "5212789" "5229768" "5237680" "5247683" "5274803" "5276868" "5276871" "5276876" "5278979" "5278982" "5291591" "5297278" "5313646" "5317728" "5321832" "532524" "5333315" "5347653" "5355476" "5375207" "5377326" "538256" "5390335" "5403639" "5408619" "5410543" "5410684" "5412801" "5418957" "5423034" "5430871" "5434994" "5452450" "5553279" "5588147" "5613113" "5666530" "5684984" "5692129" "5710922" "5737600" "5737601" "5740433" "5761660" "5774717" "5778390" "5806075" "5832518" "5878434").PN.	USPAT	2004/06/15 13: 29
-	10	(replication adj conflict) and (@rlad<=20000621 @ad<=20000621)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/15 14:06
	0	(replicat adj conflict) and (@rlad<=20000621 @ad<=20000621)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/15 14:06
-	2	(replica adj conflict) and (@rlad<=20000621 @ad<=20000621)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/15 14: 56
-	2 18	6343299.URPN. ("4714992" "4714996" "5261094" "5280612" "5404508" "5434994" "5560005" "5581754" "5649195" "5671407" "5684984" "5737601" "5765171" "5787247" "5787262" "5832489" "5999947" "6041123").PN.	USPAT USPAT	2004/06/15 14: 09 2004/06/15 14: 10
-	226	(active adj directory) and (@rlad<=20000621 @ad<=20000621)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/15 14: 56
-	107	((active adj directory) and (@rlad<=20000621 @ad<=20000621)) and replica\$	USPAT; US-PGPUB; EPO; JPO;	2004/06/15 14:57
-	45	(((active adj directory) and (@rlad<=20000621 (@ad<=20000621)) and replica\$) and conflict	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/22 13:10
-	1	"20040088299"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/16 08: 42
•	2	"6636869"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/16 08:42
-	9	"6061758"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/16 08:44
-	24	"5584006"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/16 08:49
	L		IBM_TDB	

-	76	5,267,351	USPAT; US-PGPUB;	2004/06/16 08:49
			ЕРО; ЈРО;	
			IBM_TDB	
-	73	multi-valued adj attribute	USPAT;	2004/07/19 10:44
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	55	(multi-valued adj attribute) and (@rlad<=20000621 @ad<=20000621)	USPĀT:	2004/07/19 11: 39
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB:	
			ЕРО; ЛРО;	
	1		IBM_TDB	
l <u>-</u>	1	((version adj number) with (updat\$ adj timestamp)) and (@rlad<=20000621	USPAT:	2004/07/19 11: 39
		@ad<=20000621)	US-PGPUB:	2001/01/27 22:3/
İ		(San 1-100001-)	EPO; JPO;	
			IBM_TDB	
<u>-</u>	2	((version adj number) same (updat\$ adj timestamp)) and (@rlad<=20000621	USPAT;	2004/07/19 11:45
	1	(a)ad<=20000621)	US-PGPUB;	2004/0//17 11:45
	1	(Mad = 20000021)		
}	i		ЕРО; ЛРО;	
	1	//storgion add mymbors and translate add timesterness and (Outed a 2000) (24	IBM_TDB	
-	22	((version adj number) and (updat\$ adj timestamp)) and (@rlad<=20000621	USPAT;	2004/07/21 12:40
		@ad<=20000621)	US-PGPUB;	
			EPO; JPO;	
		(manling adi abigat) and (Qulad - accesses Q-1 - accesses	IBM_TDB	2004.67 22.5
-	154	(replica adj object) and (@rlad<=20000621 @ad<=20000621)	USPAT;	2004/07/20 13: 34
			US-PGPUB;	
	İ		EPO; JPO;	
1			IBM_TDB	
-	224	individual adj group adj members	USPAT;	2004/07/20 13:26
			US-PGPUB;	
			ЕРО; ЈРО;	
			IBM_TDB	
•	18	(individual adj group adj members) and replica\$	USPAT;	2004/07/20 13: 34
	1		US-PGPUB;	
			ЕРО; ЈРО;	
1		<u> </u>	IBM_TDB	
[-	58	hotsync and (@rlad<=20000621 @ad<=20000621)	USPAT;	2004/07/21 10: 32
			US-PGPUB;	
			ЕРО; ЈРО;	
			IBM_TDB	
J -	47	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT	2004/07/20 14:11
1		"5528745" "5557659" "5572643" "5621458" "5647002" "5684990" "5740549"		
		"5745884" "5790974" "5809242" "5862346" "5870759" "5877759" "5907678"		
		"5933811" \"5949975" \"5966714" \"5982891" \"59999912" \"6000000" \"6006274" \		
		"6009410" "6011537" "6014502" "6023708" "6026369" "6026371" "6034621"		
		"6034661" "6034683" "6058415" "6101480" "6131096" "6131116" "6138245"		
		"6151606" "6161146" "6205448" "6308201" "6330618").PN.		
-	6	6393434.URPN.	USPAT	2004/07/20 14: 39
-	14		USPAT	2004/07/20 14:41
		"5924096" "5991771" "6021118" "6088706" "6205448" "6212529"		
		"6247135").PN.		
-	34	,	USPAT;	2004/07/21 11:37
	j	@ad<=20000621)	US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	5	edirectory and replica\$	USPAT;	2004/07/21 12:40
		· •	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	8176	(value adj level) and (@rlad<=20000621 @ad<=20000621)	USPAT:	2004/07/21 15:45
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	468	((value adj level) and (@rlad<=20000621 @ad<=20000621)) and replica\$	USPAT:	2004/07/21 12:41
.]	<u> </u>	US-PGPUB;	
]		EPO; JPO;	
	<u> </u>		IBM_TDB	
-	107	(((value adj level) and (@rlad<=20000621 @ad<=20000621)) and replica\$) and	USPAT:	2004/07/21 14:20
		attribute	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1 1	"20020111968"	USPĀT:	2004/07/21 14: 36
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
	·		1	

-	46	(khanh and pham).xa.	USPAT;	2004/07/21 14: 36
		•	US-PGPUB;	
			ЕРО; ЛРО;]
			IBM_TDB	
-	1	6560620.URPN.	USPĀT	2004/07/21 14:45
-	7	("4827330" "5142619" "RE35861" "5819300" "5956726" "6064968"	USPAT	2004/07/21 14:46
		"6366933").PN.		
-	1	"20020026384"	USPAT:	2004/07/21 15: 36
			US-PGPUB:	
			EPO; JPO;	
			IBM_TDB	
-	204	linked adj value	USPĀT:	2004/07/21 15:45
			US-PGPUB:	
			ЕРО; ЛРО;	
			IBM_TDB	1
-	131	(linked adj value) and (@rlad<=20000621 @ad<=20000621)	USPAT:	2004/07/21 15:49
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB:	
			EPO; JPO;	
			IBM_TDB	
-	45	(attribute adj level) and (value adj level)	USPAT:	2004/07/22 13:10
		,	US-PGPUB:	
			EPO; JPO;	
	1		IBM_TDB	
-	30	((attribute adj level) and (value adj level)) and (@rlad<=20000621 @ad<=20000621)	USPAT;	2004/07/22 13:38
		,	US-PGPUB:	
			ЕРО; ЛРО;	
			IBM TDB	
-	107	(novell adj directory adj services) and (@rlad<=20000621 @ad<=20000621)	USPAT:	2004/07/22 13: 38
		, , , ,	US-PGPUB:	
			EPO; JPO;	
			IBM_TDB	
-	85	((novell adj directory adj services) and (@rlad<=20000621 @ad<=20000621)) and	USPAT:	2004/07/22 13: 39
		replica\$	US-PGPUB:	
		•	EPO; JPO;	
			IBM_TDB	
-	46	(((novell adj directory adj services) and (@rlad<=20000621 @ad<=20000621)) and	USPAT;	2004/07/22 15:05
		replicas) and conflict	US-PGPUB:	
			ЕРО; ЈРО;	
			IBM_TDB	
-	27	6016499.URPN.	USPĀT	2004/07/22 14:00

Web

Results 1 - 10 of about 7,450,000 for active directory [definition]. (0.19 seconds)

Active Directory Overview

A non-technical overview of **Active Directory** technology and a look into Microsoft's overall **directory** services strategy. ... **Active Directory** Overview. ...

go.microsoft.com/fwlink/?LinkId=21200 - 59k - Cached - Similar pages

SecurityFocus HOME Infocus: Active Directory and Linux

... INFOCUS, **Active Directory** and Linux by David "Del" Elson last updated April 3, 2002. Introduction. This article discusses the use ... www.securityfocus.com/infocus/1563 - 55k - Jul 20, 2004 - Cached - Similar pages

Windows Server 2003 Active Directory

Technology Centers. Windows Server 2003 **Active Directory**. ... Windows Server™ 2003 makes **Active Directory** simpler to manage, easing migration and deployment. ...

www.microsoft.com/windowsserver2003/

technologies/directory/activedirectory/default.mspx - 38k -

Cached - Similar pages

Sponsored Links

Active Directory Papers
Get white papers & reports on
active directory. Download them now
www.bitpipe.com

Active Directory

Introduction to Windows 2003 Server Training Videos, Tips, & Shortcuts. www.learnwindowsserver.com

Search At eBay.com

Look For Your Item, New Or Used. eBay Auction Site. Affiliate Moving-Links.com/ebay

See your message here...

Windows 2000 Active Directory Migration Tool

The Active Directory Migration Tool provides an easy, security-enhanced, and fast way to migrate to Windows 2000 Active Directory service. ...

www.microsoft.com/windows2000/ downloads/tools/admt/default.asp - 29k - Cached - Similar pages
[More results from www.microsoft.com]

NetPro's eBooks on Active Directory Troubleshooting

... NetPro eBooks. NetPro is pleased to bring you the best books on **Active Directory** troubleshooting available today! You can download ... www.netpro.com/ebook/index.cfm - 14k - Cached - Similar pages

Quest Software - Quest Spotlight on Active Directory

Quest Spotlight on **Active Directory**. Spotlight on **... Directory**. Real-time Diagnostics and Problem Resolution for **Active Directory**. The **...** www.quest.com/spotlight_ad/ - 12k - <u>Cached</u> - <u>Similar pages</u>

Windows 2000 Active Directory Resources

Articles, whitepapers, tutorials, book reviews, and other resources for managing Windows 2000 **Active Directory** Services. ... Windows 2000 **Active Directory**. ... labmice.techtarget.com/activedirectory/default.htm - 30k - <u>Cached</u> - <u>Similar pages</u>

Amazon.com: Books: Active Directory Programming

... Active Directory Programming by Gil Kirkpatrick. ... Customers interested in Active Directory Programming may also be interested in: Sponsored Links (What's this? ... www.amazon.com/exec/obidos/ tg/detail/-/0672315874?v=glance - 62k - Cached - Similar pages

Amazon.com: Books: Active Directory Cookbook for Windows Server ...

Active Directory Cookbook for Windows Server 2003 and Windows 2000, Robbie Allen. ... www.amazon.com/exec/obidos/ tg/detail/-/0596004648?v=glance - 101k - Jul 21, 2004 - Cached - Similar pages

[More results from www.amazon.com]

MacDevCenter.com: Panther and Active Directory

value level commet resolution



Results 1 - 10 of about 1,220,000 for value level conflict resolution. (0.38 seconds)

Search

XSL Transformations (XSLT)

... space and xsl:preserve-space top-level elements. ... have an elements attribute whose value is a ... between template rules (see [5.5 Conflict Resolution for Template ...

www.w3.org/TR/xslt - 101k - Cached - Similar pages

Tables

... column groups are input to the conflict resolution algorithm that ... attribute of HTML 4.0 with a value of "cols ... a table may behave like a block-level or replaced ...

www.w3.org/TR/REC-CSS2/tables.html - 72k - Cached - Similar pages [More results from www.w3.org]

Sponsored Links

Conflict Resolution

Research conflict resolution at the world's largest online library. www.questia.com

See your message here...

[Chapter 16] Conflict Resolution

... Alters the value of a member of a priority ... Designates a site to a given priority level. ... Cancels collection of statistics about conflict resolution for a table. ... www.hk8.org/old_web/oracle/bipack/ch16 01.htm - 57k - Cached - Similar pages

225511 - New Password Change and Conflict Resolution Functionality ...

... which in turn replicates it to down-level domain controllers ... PDC FSMO is at the same site, the AvoidPdcOnWan value is disregarded ... Password Conflict Resolution. ... support.microsoft.com/?kbid=225511 - 16k - Cached - Similar pages

Management Consulting - Conflict Resolution

... 4) Conflicts at the value level will probably ... will have clarified the value differences, and ... further information regarding conflict resolution services, feel ... www.spannassoc.com/conflictresolution.shtml - 10k - Cached - Similar pages

Conflict Resolution Concepts & Architecture

... of conflict resolution method with the replication management API. Priority Groups. Priority groups allow you to assign a priority level to each possible value ... www.doc.gold.ac.uk/oracle/ doc/server.817/a76959/conflict.htm - 101k -Cached - Similar pages

Conflict Resolution

... everywhere in church, business and conflict resolution materials, Speed ... Counselor Manual" "the higher the conflict, the lower the value level people are ... www.teal.org.uk/conflict/resolution.htm - 49k - Cached - Similar pages

[PDF] **CONFLICT RESOLUTION** IN WEB SERVICE FEDERATIONS

File Format: PDF/Adobe Acrobat - View as HTML

CONFLICT RESOLUTION IN WEB SERVICE FEDERATIONS ... Service Heterogeneities • Resolution of Web ... Value Level Heterogeneities Representational Heterogeneity occurs ...

www.netobjectdays.org/pdf/03/slides/icws/Aragao.pdf - Similar pages

[PDF] Base-Level Learning Conflict Resolution

File Format: PDF/Adobe Acrobat - View as HTML

... Major mechanisms in declarative memory Base-level learning Spreading ... matching productions is called the "conflict set" ACT ... in seconds G is the value of the ... chil.rice.edu/byrne/cogn410/notes/2004_03_30_bll_cr.pdf - Similar pages

Conflict Resolution training seminar

... unresolved conflicts; The nature and value of teamwork. ... the three stories that are always present during conflict; ... the requirements and the skill level of your ...



Result Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> **Next**

value level conflict resolution



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Web Images Groups News Froogle more

attribute level conflict resolution

Search

nced Sear Preferences

Web

Results 1 - 10 of about 189,000 for attribute level conflict resolution. (0.28 seconds)

Active Directory Conflict Resolution

... tiebreaker ensures the ultimate **resolution** of update ... in place that minimizes **conflicts** and ensures ... by replicating changes at the **attribute level**, rather than ... www.winnetmag.com/Articles/Index. cfm?ArticleID=7171&Key=Active+Directory - <u>Similar pages</u>

XSL Transformations (XSLT)

... and xsl:preserve-space top-level elements ... elements each have an elements attribute whose value ... between template rules (see [5.5 Conflict Resolution for Template ... www.w3.org/TR/xslt - 101k - Cached - Similar pages

Tables

... groups are input to the **conflict resolution** algorithm that ... two rules together implement the "rules" **attribute** of HTML ... may behave like a block-**level** or replaced ... www.w3.org/TR/REC-CSS2/tables.html - 72k - <u>Cached</u> - <u>Similar pages</u>
[More results from www.w3.org]

Multimaster Conflict Resolution Policy

... Conflicts are resolved at the level of the entire attribute value, even for multivalue attributes. The value after **resolution** is one multivalue or the other ... www.microsoft.com/windows2000/techinfo/ reskit/en-us/distrib/dsbh_rep_cqjr.asp?frame=true - 11k - Cached - Similar pages

Conflict Resolution

... At the school **level**, mediation programs result in ... illustrated by the tendency to **attribute** the aggressive ... to engage in constructive **conflict resolution**, or who ... www.knowgangs.com/school_resources/menu_022.htm - 25k - Cached - Similar pages

Chapter 1 Introduction to Sun ONE Portal Server, Secure Remote ...

... See "Setting Conflict Resolution". MIME-types Configuration File Location attribute can be set only at the organization level. See ... docs.sun.com/source/816-6764-10/overview.html - 22k - Cached - Similar pages

Appendix G Subscriptions Attributes

... When an attribute conflict occurs, the attribute on the template set with the highest conflict resolution level is returned. Subscriptions User Attributes. ... docs.sun.com/source/816-6748-10/sbattrib.html - 14k - Cached - Similar pages [More results from docs.sun.com]

[PDF] Microsoft PowerPoint - Caruthers.ppt

File Format: PDF/Adobe Acrobat - View as HTML

... take precedence over schema **level** rules 14 ... changing all required elements/**attributes** to optional ... Condition 23 Propagation & **Conflict Resolution** Propagation No ... www.cs.purdue.edu/homes/ninghui/ courses/Fall03/lectures/caruthers_6.pdf - <u>Similar pages</u>

Psyche Attribute Conflicts --- Made Difficult

... than who has the higher **Attribute** and something ... three Psyche **levels** of training for **conflict resolution**: Untrained: this ... Advanced: this **level** can go many places ... home.comcast.net/~arrefmak/psyche.htm - 11k - <u>Cached</u> - <u>Similar pages</u>

SharingConflictResolution

... mitigate conflicts: Use attribute-level granularity to distinguish conflicts; Encourage users to use ItemConversations? to prevent and resolve conflicts [InfD & ... wiki.osafoundation.org/twiki/ bin/view/Chandler/SharingConflictResolution - 16k - Cached - Similar pages

Result Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

attribute level conflict resolution Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library The Guide

"value level"

SEARCH

THE WOLL DIENTH

Feedback Report a problem Satisfaction survey

Terms used value level

Found **80** of **139,988**

Sort results by

relevance

Save results to a Binder

Search Tips

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Display results expanded form

Open results in a new window

Results 1 - 20 of 80

Result page: 1 2 3 4 5 nex

Relevance scale 🔲 📟 🖼 🔳

Modeling value propositions in e-Business

Alexander Osterwalder, Yves Pigneur

September 2003 Proceedings of the 5th international conference on Electronic commerce

Full text available: pdf(139.53 KB) Additional Information: full citation, abstract, references, index terms

In this paper we provide a conceptual approach to modelling value propositions. We argue that rigorous modelling in an ontological style could improve several aspects of business. Modelling and mapping value propositions helps better understanding the value a company wants to offer its customers and makes it communicable between various stakeholders. Using a common language (ontology) in defining a company's offering brings manager's mental models into a common form. Further, conceptually seized ...

Keywords: business model, business model design, business strategy, ontology, value proposition

² Management of international networks

Floris van den Broek, Maarten Looijen

September 1997 International Journal of Network Management, Volume 7 Issue 5

Full text available: 🔂 pdf(188.10 KB) Additional Information: full citation, abstract, references, index terms

This article outlines particularities which must be addressed when building, controlling and maintaining international networks. © 1997 John Wiley & Sons, Ltd.

3 Cost-effective Management of International Networks

Floris G. H. van den Broek, Maarten G. H. Looijen

July 1997 International Journal of Network Management, Volume 7 Issue 3

Full text available: pdf(342.18 KB) Additional Information: full citation, abstract, references, index terms

This article describes the influence of a country's regulatory framework and availability of services on the management of an international network. © 1997 John Wiley & Sons, Ltd.

⁴ The Jungle database search engine

Michael Böhlen, Linas Bukauskas, Curtis Dyreson

June 1999 ACM SIGMOD Record, Proceedings of the 1999 ACM SIGMOD international conference on Management of data, Volume 28 Issue 2

Full text available: pdf(382.61 KB) Additional Information: full citation, abstract, references, index terms

Information spread in in databases cannot be found by current search engines. A database search engine is capable to access and advertise database on the WWW. Jungle is a database search engine prototype developed at Aalborg University. Operating through JDBC connections to remote databases, Jungle extracts and indexes database data and meta-